

THE BROAD-TAILED BAT (*TADARIDA LATICAUDATA*) IN COLIMA, MEXICO.—Kennedy et al. (Mammalia, in press) did not list the broad-tailed bat (*Tadarida laticaudata*) in Colima, nor did they include it in their list of species expected to occur in that state. On 8 January 1875, an adult male *Tadarida laticaudata* (Memphis State University Museum of Zoology no. 9958) was captured in a mist net placed across a narrow lagoon surrounded by mangrove and coconut trees and subtropical thorn forest at Toresillas, Colima. This locality is adjacent to Playa de Oro, a beach about 20 km NW Manzanillo. The nearest records of occurrence are 7 km N Balsas, 700 m, Guerrero, and 2 km SE Alpuyeca, Morelos (Alvarez and Ramirez-Pulido, Anal. Esc. Nac. Cien. Biol., Mex., 19:167-178, 1972). These localities are approximately 445 and 550 km

from our collecting site, respectively. Our locality is the northermost record for the species in western Mexico.

Dr. K. F. Koopman verified our identification of the specimen as *T. l. ferruginea* Goodwin, 1954. We thank Dr. Koopman for his assistance and numerous students who have helped collect mammals in Colima.—TROY L. BEST, *Dept. of Biology and Museum of Southwestern Biology, The Univ. of New Mexico, Albuquerque, NM 87131* and MICHAEL L. KENNEDY, *Dept. of Biology, Memphis State Univ., Memphis, TN 38152*.